



ELSEVIER

Robotics and Autonomous Systems 28 (1999) 313–314

Robotics and  
Autonomous  
Systems

www.elsevier.com/locate/robot

## Author Index to Volume 28

- |  |     |   |     |
|--|-----|---|-----|
| Amidi, O., T. Kanade and K. Fujita, A visual odometer for autonomous helicopter flight   | 185 | Holland, O., <i>see</i> Melhuish, C.  | 207 |
| Anzai, Y., <i>see</i> Kohno, M.  | 115 | Holweg, E., <i>see</i> Haak, W.F.W.   | 249 |
| Arai, T., <i>see</i> Ota, J.   | 271 | Inaba, M., <i>see</i> Mizuuchi, I.  | 99  |
| Baek, S., D.-S. Park, J. Cho and Y.-B. Lee, A robot endeffector tracking system based on feedforward neural networks   | 43  | Inoue, H., <i>see</i> Mizuuchi, I.  | 99  |
| Benhabib, B., <i>see</i> Mehrandezh, M.  | 295 | Kakazu, Y., <i>see</i> Hakura, J.   | 149 |
| Bien, Z., <i>see</i> Song, W.-K.   | 83  | Kanade, T., <i>see</i> Amidi, O.  | 185 |
| Castillo, O. and P. Melin, Automated mathematical modelling, simulation and behaviour identification of robotic dynamic systems using a new fuzzy–fractal–genetic approach | 19  | Kim, S.H., <i>see</i> Park, H.W.  | 31  |
| Cho, J., <i>see</i> Baek, S.   | 43  | Knoll, A., <i>see</i> Zhang, J.   | 71  |
| Colon, E., <i>see</i> De Geeter, J.  | 5   | Kohno, M., M. Matsunaga and Y. Anzai, An adaptive sensor network system for complex environments  | 115 |
| Decréton, M., <i>see</i> De Geeter, J.   | 5   | Lee, H., <i>see</i> Song, W.-K.   | 83  |
| De Geeter, J., M. Decréton and E. Colon, The challenges of telerobotics in a nuclear environment   | 5   | Lee, Y.-B., <i>see</i> Baek, S.   | 43  |
| Dickmanns, E.-D., <i>see</i> Fürst, S.   | 173 | Mahajan, A. and F. Figueroa, An automatic self-installation and calibration method for a 3D position sensing system using ultrasonics                                 | 281 |
| Fenton, R.G., <i>see</i> Mehrandezh, M.  | 295 | Matsunaga, M., <i>see</i> Kohno, M.   | 115 |
| Figueroa, F., <i>see</i> Mahajan, A.   | 281 | Mehrandezh, M., M.N. Sela, R.G. Fenton and B. Benhabib, Robotic interception of moving objects using ideal proportional navigation guidance technique                 | 295 |
| Fujita, K., <i>see</i> Amidi, O.   | 185 | Melhuish, C., O. Holland and S. Hoddell, Convoying: using chorusing to form travelling groups of minimal agents   | 207 |
| Fürst, S. and E.-D. Dickmanns, A vision based navigation system for autonomous aircraft  | 173 | Melin, P., <i>see</i> Castillo, O.  | 19  |
| Gao, F., <i>see</i> Zhang, Y.  | 261 | Mikami, S., <i>see</i> Yamaguchi, A.  | 195 |
| Groen, F.C.A., <i>see</i> Haak, W.F.W.   | 249 | Miura, J., <i>see</i> Moon, I.  | 237 |
| Gruver, W.A., <i>see</i> Zhang, Y.   | 261 | Miwa, K., <i>see</i> Hakura, J.   | 149 |
| Haak, W.F.W., F.C.A. Groen and E. Holweg, Automated model verification of the International Space Station for path planning  | 249 | Mizuuchi, I., M. Inaba and H. Inoue, Adaptive pick-and-place behaviors in a whole-body humanoid robot with an autonomous layer based on parallel sensor-motor modules | 99  |
| Hakura, J., <i>see</i> Yokoi, H.   | 217 | Moon, I., J. Miura and Y. Shirai, On-line viewpoint and motion planning for eYcient visual navigation under uncertainty   | 237 |
| Hakura, J., K. Miwa, H. Yokoi and Y. Kakazu, A metamorphic internal image of autonomous agents: Emergence of behavior  | 149 | Mori, T. and T. Sato, Robotic Room: Its concept and realization   | 141 |
| Hoddell, S., <i>see</i> Melhuish, C.   | 207 |   |     |

- |   |     |  |     |
|---|-----|--|-----|
| Oka, T., J. Tashiro and K. Takase, Object-oriented BeNet programming for data-focused bottom-up design of autonomous agents           | 127 | Ude, A., Filtering in a unit quaternion space for model-based object tracking  | 163 |
| Ota, J. and T. Arai, Transfer control of a large object by a group of mobile robots   | 271 | Wada, M., <i>see</i> Yamaguchi, A.   | 195 |
| Park, D.-S., <i>see</i> Baek, S.  | 43  | Watanabe, H., <i>see</i> Yamaguchi, A.   | 195 |
| Park, H.W., H.S. Yang, Y.P. Park and S.H. Kim, Position and vibration control of a flexible robot manipulator using hybrid controller | 31  | Yamaguchi, A., H. Watanabe, S. Mikami and M. Wada, Characterization of biological internal dynamics by the synchronization of coupled chaotic system | 195 |
| Park, Y.P., <i>see</i> Park, H.W.   | 31  | Yang, H.S., <i>see</i> Park, H.W.  | 31  |
| Ruan, D., <i>see</i> Zhou, C.   | 53  | Yokoi, H., <i>see</i> Hakura, J.   | 149 |
| Sato, T., <i>see</i> Mori, T.   | 141 | Yokoi, H., W. Yu and J. Hakura, Morpho-functional machine: design of an amoebae model based on the vibrating potential method                        | 217 |
| Schwert, V., <i>see</i> Zhang, J.   | 71  | Yu, W., <i>see</i> Yokoi, H.   | 217 |
| Sela, M.N., <i>see</i> Mehrandezh, M.   | 295 | Zhang, J., A. Knoll and V. Schwert, Situated neuro-fuzzy control for vision-based robot localisation   | 71  |
| Shirai, Y., <i>see</i> Moon, I.   | 237 | Zhang, Y., W.A. Gruver and F. Gao, Dynamic simplification of three degree of freedom manipulators with closed chains                                 | 261 |
| Song, W.-K., H. Lee and Z. Bien, KARES: Intelligent wheelchair-mounted robotic arm system using vision and force sensor               | 83  | Zhou, C. and D. Ruan, Integration of linguistic and numerical information for biped control  | 53  |
| Takase, K., <i>see</i> Oka, T.  | 127 |  |     |
| Tashiro, J., <i>see</i> Oka, T.   | 127 |  |     |



ELSEVIER

Robotics and Autonomous Systems 28 (1999) 315–316

Robotics and  
Autonomous  
Systems

www.elsevier.com/locate/robot

## Subject Index to Volume 28

3D position sensing	281	Guidance	295
Active sensing	5	$H_{\infty}$ control	31
Adaptation	217	Hardware-in-the-loop simulation	173
Adaptive system	115	Health care	141
Aerial robotics	185	Helicopter	185
Amoebae robot	217	Human–robot symbiosis	141
Automatic position estimation	115	Humanoid robot	99
Autonomous agent	127, 149	Intelligence	271
Autonomous aircraft	173	Kalman filtering	5
Autonomous distributed control	217	Landmark navigation	173
Autonomous layer	99	Layered architecture	271
Autonomous systems	249	Learning mechanism	149
Autonomous tasks	83	Localisation	71
B-splines	71	Machine perception	173
Biological inspiration	207	Machine vision	43
Biped control	53	Man–machine interfacing	5
Biped locomotion	53	Manipulator design	261
Bottom-up design	127	Minimal agents	207
Brain	195	Mobile robot	237, 281
Chaos	195	Model verification	249
Chorusing mechanism	207	Modelling	19
Closed chains	261	Modular description	127
Complex system	149	Motion planning	271
Computation	195	Moving object interception	295
Computer vision	173, 249	Navigation	185
Cooperation	271	Neural network	43
Data fusion	53	Neuro-fuzzy control	53
Dynamic knowledge extraction	149	Nonlinear dynamics	195
Dynamic simplification	261	Object recognition	43
Emergent behavior	149	Object tracking	163
Eye-in-hand	83	Obstacle detection	173
Flexible robot	31	Odometer	185
Fuzzy control	71	Omnidirectional robot vision	71
Fuzzy logic	19, 31, 53	On-line planning	237
Genetic algorithms	19	Patient monitor	141
Geometric modelling	5		

Position-based addressing	115	Stereo vision	237
Prediction	43	Supervised learning	71
Programming method	127		
Proportional navigation	295	Target tracking	43
		Telerobotics	5
Quaternion	163	Transfer control	271
		Travelling groups	207
Reactive sensor-motor module	99		
Real-time computing	127	Ultrasonics	281
Rehabilitation robots	83	Uncertainty	237
Reliability	5		
Rigid body motion	163	Vibrating potential field	217
Robot-motion planning	295	Vibration control	31
Robotic dynamics	19	Viewpoint planning	237
		Vision-based	185
Self-installation and calibration	281	Voice coil type actuator	31
Self-organization	217		
Sensor network	115	Wheelchair-mounted robotic arm	83
Service robots	83	Whole-body behavior	99
Simulation	19		

